



Accredited Faculty by the National Authority for Medical- Surgical Nursing Dept Quality Assurance of Education and Accreditation

Model Answer Mid-term Exam(A)

Health Assessment (2nd year – 1st Semester)

Code: Total grade: 10

Time allowed: 20 minute Date: 11 / 12/ 2021

Part I: Choose the correct answer: (7 Marks, one for each):

Part II Circle (T) if the statement is true and (F) if false: (halfmark for each)

1. The nurse uses PQRST which is a guide to explore the patient's:

(1)

- a. Medical complaints.
- b. Nursing complaints.
- c. Nutritional complaints.
- d. **Chief complaint.**

2. One of the following statements is true regarding thyroid gland assessment: (1)

- a. Place the client in the supine position to inspect the gland.
- b. Locate the gland between the sternocleidomastoid and trapezius muscles.
- c. **Provide client a glass of water to swallow a drink while palpating the gland.**
- d. Use a pen light for more accurate inspection of any swelling.

3. Whisper test is used to: (2)

- a. **Assess gross hearing acuity**
- b. Compare air conduction and bone conduction

- c. Test lateralization of vibration
 - d. Test the client's equilibrium.
- 4. During a physical examination, the nurse noted hyperresonance over inflated lung tissue in a patient with Pneumothorax. The technique used was: (1)**
- a. Auscultation
 - b. Palpation
 - c. Inspection
 - d. Percussion**
- 5. To determine whether the patient has a conductive or perceptive hearing loss, you would utilize (3)**
- a. Tuning fork tests.**
 - b. The watch-tick test.
 - c. The otoscope.
 - d. The audiometer.
- 6. Tactile fremitus is assessed by applying: (2)**
- a- Palm of the hand on chest.**
 - b- Bell of stethoscope on chest.
 - c- Percussion on chest.
 - d- Inspection of the chest movements
- 7. The clinical term for local infection of nail is.... (1)**
- a. Koilonychia
 - b. Paronychia**
 - c. Onycholysis
 - d. Leuconychia

Circle (T) if the statement is true or (F) if the statement is false:

1.Ptosis; an inverted lower eye lid which may cause pain & injury. (4)		F
2.Unequal chest expansion can occur with sever atelectasis. (3)	T	
3.In cases of atelectasis; trapezius or shoulder muscle are used to facilitate breathing	T	
4.Normally, voice transmission is soft, muffled, and indistinct and actual phrase can easily understood		F
5.Medical records reviewing are direct sourceof data.		F
6. Secondary lesions arise from normal skin due to irritation or disease. (2)		F

تم تغييرهم

Good luck

Prof.Magda Ahmed Mohamed

Dr. Ghada Hassan Ahmed